



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VII

999 18th STREET - SUITE 500  
DENVER, COLORADO 80202-2466

8556

Ref: 8HWM-FF

JUN 2 1995

Mr. Steven Slaten  
Department of Energy  
Rocky Flats Office  
P.O. Box 928  
Golden, CO 80402-0928

DOCUMENT CLASSIFICATION  
REVIEW WAIVER PER  
CLASSIFICATION OFFICE

Re: OU 1 Proposed Plan

Dear Mr. Slaten:

EPA has reviewed the Operable Unit (OU) 1 Proposed Plan (PP) that DOE submitted on May 25, 1995. As noted in your cover letter of that submittal, this version of the OU 1 PP is substantially different from the mutually agreed upon revisions that were developed in a meeting of EPA, DOE, and CDPHE on May 15, 1995. Therefore, EPA cannot approve this proposed plan and strongly recommends that it not be presented to the public as written. This document does not present any of the other five remedial action alternatives that were considered in the OU 1 Corrective Measures Study/Faasibility Study (CMS/FS), and is therefore incomplete and unacceptable. One of the purposes of a proposed plan is to provide the public with a brief description of the alternatives being considered, so that the public has a reasonable opportunity for comment and a voice in remedy selection.

Unfortunately, the meeting that had been proposed for earlier this week did not occur, but EPA agrees that it is vital that these matters be discussed face to face in hopes of reaching agreement so that this document can be revised to the satisfaction of all parties. As per our phone conversation today, EPA is planning to meet with DOE and CDPHE regarding this matter at Interlocken, Monday, June 5, at 10 AM.

If you have any comments or questions, please contact Gary Kleeman at 294-1071.

Sincerely,

*Gary Kleeman* for  
Martin Hestmark, Manager  
Rocky Flats Project



Printed on Recycled Paper